

## BORA X Pure Rough PUXA2R

[> Web link](#)**Brief description**

Surface induction glass ceramic cooktop with extraction system (matt glass ceramic)

**Mode of operation**

Exhaust air

**Article no.**

40.002.957.00

**VRG**

5.56

**Price CHF**

3819.- O excl. VAT

**Product description****BORA surface induction cooktop with integrated cooktop extractor (exhaust air) PUXA2R****Product description****Cooktop**

- Matt glass ceramic
- Power level for each cooking zone
- Bridge function
- Timer cooking zones
- Short-term alarm clock
- Residual heat display
- Pot detection
- Pause function
- Warming function
- Parental lock
- Safety shutdown
- Demo mode

**Extraction system**

- Three-colour sControl+ operation
- Power stage
- Automatic trigger control
- Automatic overrunning
- Cleaning lock
- Front power socket
- Exhaust air path length max. 6 m

**Scope of delivery**

- Surface induction hob with integrated hob extractor - exhaust air PUXA2R
- PUXED2 inlet nozzle, black
- Stainless steel grease filter PUEF
- Operating and installation instructions
- Mounting clamps, sealing tape
- Height adjustment plate set
- Housing cover power supply
- Installation accessories for the power supply
- Duct connector flat EFV

**Planning guidelines**

- Ensure adequate ventilation under the hob
- Please note that induction-compatible cookware must be used for induction hobs
- Connection cable must be provided by the customer
- Front power socket
- No compatibility with BORA universal ventilators

**Technical data****Supply voltage**

400 V 2N /3N  
230 V

**Frequency**

50 Hz

**Maximum power consumption**

7,6 kW

**Fuse protection / power connection**

3 x 16 A  
2 x 16 A

## BORA X Pure Rough PUXA2R

[> Web link](#)

### Equipment mass (without duct connections)

830 x 515 x 199 mm

### Weight (incl. accessories / packaging)

23,8 kg

### Material surface

Glass Ceramic

### Cooktop

#### Induction cooking zone front

230 x 230 mm

2100 W

#### Power level

3000 W

#### Induction cooking zone rear

230 x 230 mm

2100 W

#### Power level

3000 W

#### Power levels

1-9, P

### Trigger system

#### Maximum air volume

597 m<sup>3</sup> / h

#### Power levels

1 - 9, P

#### Connection on exhaust air side


BORA Ecotube, 245 x 89 mm

Not compatible with PUED inlet nozzle

## Accessory

You can find the complete range of accessories here [> Weblink](#)

### Optional accessories



80.100.016.00 / CHF  
359.-  
Ventilation planning



80.100.017.00 / CHF  
192.-  
Revision of the planning

## Other Articles

You can find additional articles here [> Weblink](#)




40.002.958.00 / CHF  
3985.-  
BORA X Pure Rough  
PUXU2R




40.002.955.00 / CHF  
3593.-  
BORA X Pure PUXA2




40.002.956.00 / CHF  
3759.-  
BORA X Pure PUXU2



40.002.759.00 / CHF  
3068.-  
BORA M Pure PURMA



40.002.760.00 / CHF  
3234.-  
BORA M Pure PURMU



40.002.065.00 / CHF  
2713.-  
BORA Pure PURA

BORA X Pure Rough PUXA2R

> Web link



40.002.066.00 / CHF  
2879.-  
BORA Pure PURU



40.002.413.00 / CHF  
2124.-  
BORA S Pure PURSA



40.002.390.00 / CHF  
2290.-  
BORA S Pure PURSU