

BORA Set PKA3AB + ULS, Professional 3.0

> Web link



Brief description Extraction system Mode of operation Recirculated-air or exhaust air Article no. 40.002.289.00

VRG 5.56 Price CHF 4827.- O excl. VAT

Product description

BORA Professional 3.0 set offer consisting of PKA3AB All Black and ULS as well as other components as per scope of delivery

Scope of delivery of set offer «PKA3AB and ULS» All Black

- 1 hob extractor PKA3AB All Black (40.002.232.00)
- 1 ULS base fan (40.002.251.00)
- 1 flat silencer USDF (40.002.248.00)
- 1 Ecotube bend 90° flat vertical EFBV90
- 1 Ecotube transition flat round straight EFRG
- 1 Ecotube transition flat round offset EFRV110
- 1 Ecotube flat duct EFS375
- 2 Ecotube flat duct connector EFV

incl. gaskets

Planning note: With these units, the duct connection is designed for the BORA Ecotube duct system. To connect BORA Ecotube (connection 245 x 89 mm) with Naber connections (222 x 89 mm), an adapter (EFA, 40.001.779.00) is available / can be ordered separately.

Can be combined with all BORA Professional 3.0 hobs (can be ordered separately, are not included in the set scope of delivery).

Accessory

Optional accessories



40.002.034.00 / CHF 135.-BORA socket USTJAB All Black



80.100.016.00 / CHF Ventilation planning



80.100.017.00 / CHF 192. Revision of the planning

Other Articles



40.002.292.00 / CHF 9632.-BORA Set PKA3 + PKFI3 + PKT3,



40.002.295.00 / CHF BORA Set PKA3AB + 2x PKCH3, Professional 3.0




7067 BORA Set PKA3 + 2x PKCH3, Professional 3.0



2152. BORA hob extractor PKA3, Professional 3.0



1730.-HiLight Professional Cooktop All Black



You can find the complete range of accessories here > Weblink

10341.-BORA Set PKA3AB + 2 x PKFI3 Professional 3.0



40.002.293.00 / CHF 10852.-BORA Set PKA3AB + PKFI3 + PKT3, Professional 3.0



40.002.232.00 / CHF BORA hob extractor PKA3AB All Black,

Professional 3.0



40.002.296.00 / CHF BORA Set PKAS3 + 2x PKFI3 Professional 3.0



40.002.298.00 / CHF 8888.-BORA Set PKAS3 + PKFI3 + PKT3, Professional 3.0



40.002.300.00 / CHF BORA Set PKAS3 + 2x PKCH3, Professional 3.0



40.002.233.00 / CHF 3229.-BORA hob extraction system PKAS3, Professional 3.0



BORA Set PKA3AB + ULS, Professional 3.0

> Web link



40.002.297.00 / CHF 9597.-BORA Set PKAS3AB + 2x PKFI3AB Professional 3.0



40.002.299.00 / CHF 10108.-BORA Set PKAS3AB + PKFI3 + PKT3, Professional 3.0



40.002.301.00 / CHF 7543.-BORA Set PKAS3AB + 2x PKCH3, Professional



40.002.234.00 / CHF 4083.-BORA hob extraction system PKAS3AB All Black, Professional 3.0



40.002.239.00 / CHF 2574.-BORA PKFI3 surface induction glass ceramic hob, Professional 3.0



40.002.535.00 / CHF 2757.-BORA PKFI3AB surface induction glass ceramic hob, Professional 3.0, All Black



40.002.242.00 / CHF 3085.-BORA PKT3 Teppan stainless steel grill, Professional 3.0



40.002.539.00 / CHF 3268.-BORA PKT3AB Teppan stainless steel grill, Professional 3.0, All Black



40.002.237.00 / CHF 1547.-BORA PKCH3 Hyper glass ceramic hob, Professional 3.0



40.002.534.00 / CHF 1730.-BORA PKCH3AB Hyper glass ceramic hob, Professional 3.0, All Black



40.002.288.00 / CHF 3973.-BORA Set PKA3 + ULS, Professional 3.0



40.002.238.00 / CHF 2238.-BORA PKI3 induction glass ceramic hob, Professional 3.0



40.002.537.00 / CHF 2421.-BORA PKI3AB induction glass ceramic hob, Professional 3.0, All Black



40.002.240.00 / CHF 2767.-BORA PKIW3 Induction Glass Ceramic Wok, Professional 3.0



40.002.538.00 / CHF 2950.-BORA PKIW3AB Induction Glass Ceramic Wok, Professional 3.0, All Black



40.002.235.00 / CHF 1547.-BORA PKC3 HiLight glass ceramic hob, Professional 3.0



40.002.289.00 / CHF 4827.-BORA Set PKA3AB + ULS, Professional 3.0



40.002.241.00 / CHF 2771.-BORA PKG3 gas glass ceramic hob, Professional 3.0



40.002.536.00 / CHF 2954.-BORA PKG3AB gas glass ceramic hob, Professional 3.0, All Black



40.002.287.00 / CHF 3367.-BORA Set PKIW3 + HIW1, Professional 3.0



40.002.552.00 / CHF 3550.-BORA Set PKIW3AB + HIW1, Professional 3.0, All Black





40.002.236.00 / CHF 1583.-BORA PKCB3 HiLight glass ceramic hob, Professional 3.0





40.002.533.00 / CHF 1766.-BORA PKCB3AB HiLight glass ceramic hob, Professional 3.0, All Black











technical data

Supply voltage	220 - 240 V
Frequency	50/60 Hz
Maximum power consumption	550 W
Power supply cable length	2 m
Dimensions (width x depth x height)	482 x 540 x 176 mm
Weight (incl. accessories/packaging)	9.25 kg
Cooktop extractor power levels	1 – 9, P
duct connection	BORA Ecotube

Product description

- · Intuitive control knob
- DLC (diamond-like-carbon) coated
- Automatic cover flap
- Premium designMinimum volume
- Simple cleaning
- Integrated grease drip panGenuine stainless steel grease filter
- · Modular system
- · Automatic extractor control

- **Scope of delivery** Cooktop extractor PKA3AB with integrated 90° bend
- · Straight duct element
- Control knob
- 4 x Pro knob ring All Black PKR3AB
- cover flap stainless steel grease filter
- Filter tray
- Maintenance trayCAT 5 communication cable
- Universal control unit
- connection cable for the control knob operating and installation instructions
- height adjustment plate set
- Mounting clamps
 Power supply cable with type E + F plugs
- Ecotube seal flat EFD

Accessories

- PKA1FF stainless steel grease filter
- PKA1VKAB cover flap
- PKA1FW filter tray
- UNLI type I power supply cable (AUS)
 UNLI type J power supply cable (CH)
- UNLG type G power supply cable (GB-IE)
 UNLB type B power supply cable (PH)
- UNLH type H power supply cable (IL)

product- and planning instructions

- · Suitable for use as a recirculation or exhaust system
- Compatible with all BORA Professional 3.0 cooktops and BORA Universal fan
- In addition, four knob ring All Black are included for the adjacent cooktops
- Use of an additional fan module is possible for very long or complex exhaust air channels
- The worktop height can be adjusted as necessary
 Worktop depth: ≥ 700 mm (in conjunction with the straight duct element) ≥ 650 mm)
- Airflow possible to the right or left
- Fan can be positioned in the plinth area as a result of the low installation height (100 mm) (when using the ULS plinth fan only)
- Installation type: flush or surface-mounted
- · Universal control unit as central connection point can be simply and compactly positioned in the plinth area
- The extractor and Universal control unit are connected by a CAT 5 communication cable
- The drawers and/or shelves in the floor unit must be removable for maintenance and cleaning purposes
- \bullet The BORA Ecotube duct system is optimally tailored to the BORA cooktop extractors and guarantees 100% functionality and optimum performance
- The Professional cooktop extractor system can be combined with all BORA