

Samsung EGS30 built-in dishwasher

[> Web link](#)


Model
Samsung EGS30 built-in dishwasher

Energy efficiency class
E (New Label 03.21)

Manufacturer ID
DW60M6040BB/EG

Article no.
500.000.026.00

Appliance type
Dishwasher

VRG
10.00

Price CHF
571.- N excl. VAT

Highlights

- Capacity: 13 standard place settings
- 6 washing programs
- 60 min. express program - for normally soiled dishes
- 30 min. short program - for lightly soiled dishes
- Flexible interior
- Hygienic washing up to 67°C
- Sound power level: 44 dB(A)
- Aqua-stop - for maximum safety
- Automatic program - with automatic detection of degree of soiling
- Half load - saves energy and water

Product description

Construction type: **Euro Norm 60 cm**
GTIN no: **8806088781631**

Consumption

Energy efficiency class (from A to G): **E**
Efficiency index: **55,9**

Energy consumption per cycle: **0,936 kWh**

Energy consumption: **93,6 kWh / 100 cycles**

Water consumption per cycle: **10,5 L**

Power consumption in off- / standby mode / time preselection / networked standby mode (if available): **0.49 / - / 1 / - W**

Performance properties

Duration (program ECO): **225 Min.**

Holding capacity (place settings): **13**

Cleaning performance index: **1.13**

Drying performance index: **1.07**

Noise (dB(A), built-in unit): **44 dB(A)**

Airborne sound emission class : **B**

Mounting type

Built-in unit: **Yes**

Large capacity version: -

Freestanding with worktop:-

Freestanding undercounter: **Yes**

Countertop installation: -

Decoratable: -

Integratable: -

Fully integratable: **Yes**

Design

Housing color: **Stainless steel**

Handle: -

Display and operation

Indicator: **Digital display**

Display and lighting: **LED, Ice Blue**

Operation: **Touch control**

Interconnection of household appliances

Samsung Smart Home: -

Dimensions

Unit dimensions (H x W x D): **817 x 598 x 560 mm**

Samsung EGS30 built-in dishwasher

[> Web link](#)**Empty weight**Unit weight: **43 kg****Fittings**Holding capacity (place settings): **13**Upper rack: **Adjustable height, fold-down tines for cups, extendable handle, glass holder**Lower rack: **Fold-down tines for plates, extendable handle**Cutlery: **Cutlery basket**Interior lining: **Stainless steel**


Interior lighting:

Cleaning system: **Rotating spray arm****Functions**Drying system: **Condensation dryer****Programs / display**Number of washing programs: **6**Washing programs: **Auto, Eco, Intensive, Short Program, Gentle Wash, Express, Pre-rinsing**Options: **Half load, hygienic washing, delay start, child safety****Safety**Aqua-stop hose: **Yes**Leakage sensor: **Yes**Child safety: **Yes****Power and water supply****Electrical connection**Voltage: **230 V**Frequency: **50 Hz**Connection values: **2.1 kW**Fuse protection: **10 A**Length power connection: **1,5 m**Power plug: **Schuko safety plug with CH adapter (10 A, type 12)****Water connection**Pressure hose G 3/4": **Yes**Connectable to cold/hot water: **max. 60° C**Water pressure: **0.4-10 bar**Water inlet: **1.5 m, flexible hose with Aqua-stop**Water outlet: **1.4 m, flexible hose****Technical data**Standard width: **Euro-Norm 60 cm**Niche height: **from 820 to max. 910 mm**Niche width: **600 mm**Niche depth: **580 mm**Max. door front weight: **7,0 kg**Unit width: **598 mm**Unit height: **815 mm**Unit depth (Including wall clearance): **560 mm****Packaging**Weight, incl. packaging: **50 kg**Packaging dimensions (H x W x D): **871 x 655 x 645 mm****Accessory**You can find the complete range of accessories here [> Weblink](#)




Optional accessories




500.000.061.00 / CHF
56.-
Cutlery basket EGS30







500.000.091.00 / CHF
61.-
Mounting kit EGS110,
EGS120, EGS130



- EGS30: 230 V / 10 A, T12, 1500 mm
- ♢ Wasserzulauf / Flexible de raccordement, 1500 mm
- ♣ Wasserablauf / Évacuation, 1400 mm





²Montagezubehör siehe: www.suter.ch
Accessoires de montage voir: www.suter.ch
V. accessori di fissaggio : www.suter.ch

¹Blende/Distanzplatte bauseits / Panneau/Plaque d'écartement, fourni par le cleint / Pannello/Distanziale fornito da parte cliente

²Distanzplatte bauseit / Plaque d'écartement fourni par le cleint / Distanziale fornito da parte cliente

³Für Nischenhöhe / pour Hauteur de niche / per altezza di nicchia: H = 820 - 860 mm

⁴Für Nischenhöhe / pour Hauteur de niche / per altezza di nicchia: H = 860 - 910 mm

³⁺⁴Im Lieferumfang enthalten / Fourni(s) / Incluso/a nel corredo di fornitura

Sockelhöhe A in mm / Hauteur du socle A en mm / Altezza dello zoccolo A in mm

	100	110	120	130	140	150	160	170	180	190	200	210
910												
900												
890												
880												
870												
860												
850												
840												
830												
820												

Nischenhöhe H /
Hauteur de niche en mm /
Altezza frontale F in mm

Art.Nr.:

Zeichn.Nr.: 50.02-18.0038.00.01

Index: 00+