

Food Center / Side-by-Side SBS2010
[> Web link](#)


Model
LG Food Center / Side-by-Side SBS2010

Energy efficiency class
E (New Label 03.21)

Manufacturer ID
GSXV90MBAE

Article no.
530.000.000.00

Door hinge
right / left

VRG
46.30

Price CHF
3426.- K excl. VAT

Highlights

- InstaView Door-in-Door™ - knock twice, and the interior lights up
- Door-in-Door™ - quick access, save energy
- DoorCooling+™ - fast and even cooling, more freshness
- Inverter Linear Compressor™ - quiet, economical and reliable
- Multi-air-flow recirculation cooling - innovative air circulation throughout the interior
- Total No Frost - never defrost again
- WiFi, ThinQ® - connected future built in
- Metal Fresh - Premium back panel
- UVnano technology: significantly fewer bacteria on the water dispenser
- Ice, crushed ice and water dispensers
- 635 litres useful capacity

Product description

Construction: **Standalone**
GTIN-Nr.: **8806091423207**

Model classification
Energy efficiency class (from A to G): **E**
Efficiency index: **100**
Energy consumption per year: **348 kWh**

Design
Colour: **Metal Sorbet**
Door handles: **Grip recess horizontal**

Display and operation
Display: **Digital indicator inside**
Display and lighting: **LED, white**
Operation: **Touch control WiFi**

Interconnection of household appliances
LG Smart Homee: **WiFi, ThinQ®**

Performance properties
Total useable capacity: 635 L
Useable capacity refrigerator: 416 L
Of which cellar refrigeration max./min.: -
Of which cold storage compartment: -
Useable capacity freezer: 219 L
Star rating freezer compartment: *******
Frost-free refrigerator / freezer compartment (No Frost): **Yes / Yes**
Freezing capacity: **12 kg in 24 hours**
Storage time in case of outage: **2 hours**
Sound power level: **36 dB(A)**
Airborne sound emission class : **C**
Climate class: **T**
Ambient temperature (min. > max.): **from +18 °C to +43°C**
Type of light source / energy efficiency class A to G: **LED / G**

Construction and identification
Stand-alone unit: **Yes**
Built-in unit: -
Undermount unit: -
Integral: -
Number of outside doors/pull-outs: **3 / -**
Door hinge: **Left, right**

Food Center / Side-by-Side SBS2010

[> Web link](#)

Dimensions

Height: **179 cm**

Width: **91.3 cm**

Depth: **73.5 cm**

Width with open door/pull-out: **163,5 cm**

Depth with open door/pull-out: **118 cm**

Dimensions of unit (H x W x D) : **1790 x 913 x 735 mm**

Empty weight

Unit weight: **137 kg**

Fittings

Cooling section

Operation Temperature setting: **Touch operation, WiFi**

Refrigerator temperature display (digital): **inside**

Temperature display freezer compartment (digital): **inside**

Adjustable freezer temperature

Independent of refrigerator temperature: **Yes**

Together with refrigerator temperature: **-**

Quick freeze switch with automatic reset: **Yes**

Warning signal / malfunction freezer compartment: **acoustic**

Door open: **acoustic**

Equipment refrigerator

Number of glass shelves (storage surfaces): **4**

Number of door compartments (and/or containers): **4**

Number of vegetable drawers (containers): **2**

Wine compartment: **Yes**

Egg trays: **Yes**

Equipment freezer

Number of glass shelves (storage surfaces): **4**

Baskets, containers, interior drawers: **2**

Ice cube trays: **-**

Additional fittings

Door water and ice dispenser: **Yes, incl. crushed ice**

Smart Diagnosis: **Yes**

UVnano Technologie: **Yes**

Water filter: **Yes (optional)**

Fresh Zone compartments: **1**

Pull-out tray: **-**

Water connection: **Yes**

Insta View Door-in-Door TM: **Yes**

Door-in-Door TM: **Yes**

Cooling technology

Inverter Linear **Compressor TM: Yes**

Total No Frost: **Yes**

Express- Cool / Freeze: **Yes**

Multi Air Flow recirculating air cooling: **Yes**

Metal Fresh: **Yes**

Linear Cooling: **Yes**

DoorCooling+: **Yes**

Pure N Fresh: **-**

Refrigerant: **R-600a**

Power and water supply

Electrical connection

Supply voltage: **230 V**

Frequency: **50 Hz**

Connection values: **250 W**

Fuse protection: **2.5 A**

Length power connection: **ca. 2.0 m**

Power plug: **Schuko plug with CH adapter (type 12, 10A)**

Water connection

Water connection: **Yes**

AquaStopp: **-**

Pressure hose G 3/4": **3/4" transition piece** included in the scope of delivery

Connectable to: **all machine outlet valves**

Connectable to cold/hot water: **Ja / -**

Water pressure: **2 to max. 8 bar**

Water inlet: **5 m flexible hose**

Water outlet: **-**

Technical data

Unit height: **1790 mm**

Unit width: **913 mm**

Unit depth: **735 mm**

Food Center / Side-by-Side SBS2010[> Web link](#)**Packaging**Weight, incl. packaging: **148 kg**Packaging dimensions (H x W x D): **1891 x 968 x 770 mm**Planning information: **min. 5cm clearance on all sides****Accessory**You can find the complete range of accessories here [> Weblink](#)

Included accessories



530.000.006.00 / CHF

92.-

Water filter LG

ADQ73693901

Optional accessories







530.000.006.00 / CHF


92.-

Water filter LG

ADQ73693901



SBS2010: 230V / 10A, T12, 2000mm



- Bauseitige Anschlüsse (Strom, Wassereinfuhr) dürfen nicht hinter dem Gerät liegen. Das Gerät muss jederzeit ohne Demontage von Möbelteilen aus der Nische gezogen werden können.
- Les raccordements fournis par le client (électricité, arrivée d'eau) ne doivent pas être situés derrière l'appareil. L'appareil doit pouvoir être extrait de la niche sans démonter aucun élément du meuble.
- Gli allacciamenti a cura del committente (elettricità, entrata dell'acqua) non devono trovarsi dietro l'apparecchio. Dev'essere sempre possibile estrarre l'apparecchio dalla nicchia senza smontare parti di mobili.

Frontbündig
Façade affleurante
A filo sulla parte anteriore

Gehäusebündig
Carrosserie affleurante
A filo con l'alloggiamento

