

Samsung Food Center / French Door SBS305

[> Web link](#)

Model

Samsung Food Center / French Door SBS305

Energy efficiency class

E (New Label 03.21)

Manufacturer ID

RF59C701EB1/WS

Article no.

500.000.195.00

VRG

46.30

Price CHF

3225.- K excl. VAT

Highlights

- AI Energy Mode (WLAN) - optimised power consumption
- Beverage Showcase - In-Door Beverage Centre with Ice, Water & Autofill Pitcher
- Dual Ice Maker - 1.4 Kg ice cubes / 1.4 Kg crushed ice
- NoFrost+ technology - the end of de-icing
- All Around Cooling - consistent temperature in the cooling chamber
- Power Cool / Power Freeze - particularly fast cooling / freezing
- Thrifty and reliable due to digital inverter technology
- Internal easily accessible water filter
- Water dispenser and automatic refill (water jug 1.4 L)
- SpaceMax - More useful capacity
- 649 litre capacity

Product description

Technical specifications

Appliance type: Food centre / French door

Design: Freestanding

Efficiency and consumption

Energy efficiency class (from A to G): E

Design

Front colour: Anthracite

Door handles: Recessed grip

Display and operation

Display: Digital display

Display and lighting: Display

Operation: Touch operation, WiFi

Home appliance networking

Samsung Smart Home: WiFi Smart Things

Appliance features

Total usable capacity: 649 L

Useful capacity fridge compartment: 390 L

Useful capacity freezer compartment: 259 L

Airborne noise emission: 36 dB(C)

Type of light source: LED | G

Equipment

Cooling compartment

Number of glass shelves (shelves): 4

Number of door compartments (and / or containers): 6

Number of vegetable drawers (containers): 2

Wine compartment: -

Egg trays: 10

Freezer compartment

Number of compartments: 4

Number of baskets, containers, drawers: 2

Ice cube trays: -

Further equipment features

Water and ice cube dispenser in door: Inside, incl. autofill pitcher

ClearView ice maker: Dual ice maker (1.4 kg cubed ice)

Samsung Food Center / French Door SBS305[> Web link](#)

Water filter: Internal, 1 pc. HAF-CIN/EXP included in the scope of delivery
 Fresh Zone compartments: -

Cooling technology

Digital inverter compressor: Yes
 NoFrost+ technology: Yes
 Power Cool: -
 All-round cooling (Multi-Flow): Yes
 Smart Conversion 5-in-1: -
 Mono Cooling / Twin Cooling / Triple Cooling: Yes / No / No
 Precise Cooling: No
 Flex Zone: -

Design and labelling

Free-standing appliance: Yes
 Built-in appliance: -
 Can be integrated: -
 Number of outer doors / pull-outs: 4 / -
 Door hinge: Left, right

Dimensions of the appliance

Device dimensions (H × W × D): 1780 × 912 × 723 mm

Electrical connection

Supply voltage: 230 V / 50 Hz
 Connected loads: 220 W
 Fuse protection: 2.5 A
 Length of mains connection cable: 2.0 m
 Mains connection plug: Plug type 12, 10A

Water connection

Water connection: Yes
 Pressure hose G 3/4": 3/4" transition piece included in the scope of delivery
 Can be connected to: All machine outlet valves
 Can be connected to cold / hot water: Yes / -
 Water pressure: 2 to max. 8 bar
 Water inlet: 5 m flexible hose
 Water drain: -

Weight: - Weight

Weight incl. packaging: 142 kg

Accessory[You can find the complete range of accessories here > Weblink](#)**Included accessories**

500.000.148.00 / CHF

98.-

Water filter

HAF-QIN/EXP





Optional accessories

500.000.148.00 / CHF

98.-



Water filter

HAF-QIN/EXP



SBS305: 230V / 2.5A, T12, 2000mm

For this document and the data contained herein, we assume no liability for any errors or omissions. The data is subject to change without notice. © Copyright 2024 Suter Inox AG. All rights reserved.






SBS305: 230V / 2.5A, T12, 2000mm

- Bauseitige Anschlüsse (Strom, Wassereinlauf) dürfen nicht hinter dem Gerät liegen. Das Gerät muss jederzeit ohne Demontage von Möbelteilen aus der Nische gezogen werden können.
- Les raccordements fournis par le client (électricité, arrivée d'eau) ne doivent pas être situés derrière l'appareil. L'appareil doit pouvoir être extrait de la niche sans démonter aucun élément du meuble.
- Gli allacciamenti a cura del committente (elettricità, entrata dell'acqua) non devono trovarsi dietro l'apparecchio. Dev'essere sempre possibile estrarre l'apparecchio dalla nicchia senza smontare parti di mobili.

Frontbündig
Façade affleurante
A filo sulla parte anteriore

Gehäusebündig
Carrosserie affleurante
A filo con l'alloggiamento



SBS305: 230V / 2.5A, T12, 2000mm