

Suter Inox AG
Schachenstrasse 20
CH-5116 Schinznach-Bad

Tel. +41 56 463 63 33
Fax +41 56 463 63 30

suter@suter.ch
www.suter.ch



Declaration of Performance

1. Product type

Products see appendix

2. Device

Kitchen sinks for domestic purposes

3. Type of use

Preparation of food, washing of dishes, discharge of domestic wastewater

4. Manufacturer

Suter Inox AG, CH-Schinznach Bad

5. Imported by

Not applicable

6. Assessment of performance

System 4

7. Declaration of confirmation prepared by

Suter Inox AG, CH-Schinznach Bad

8. Declared performance

Essential characteristics	Performance	Harmonised technical specification
Cleanability	Passed	EN 13310 : 2003
Load resistance	Passed	EN 13310 : 2003
Durability	Passed	EN 13310 : 2003
Hazardous substances	Passed	EN 13310 : 2003

9. Reported performance

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8

Signed for and on behalf the manufacturer

CH-Schinznach-Bad, 11.02.2022

A blue ink signature of Marco Suter, consisting of a stylized 'M' and 'S'.

Marco Suter
CEO

A purple ink signature of Cuong Phan, consisting of a stylized 'C' and 'P'.

Cuong Phan
Product Manager

Suter Inox AG
Schachenstrasse 20
CH-5116 Schinznach-Bad

Tel. +41 56 463 63 33
Fax +41 56 463 63 30

suter@suter.ch
www.suter.ch



Undermount bowls		Flushmount sinks Flat-mount inset	Topmount sinks
Accento	Gastro MaXX	Accento	Silver Star
A 18U + A 34U	MGM 1U	A 18IF/15, A 34IF/15	SIL 50
A 40U	MGM 2U	A 40IF/15, A 45IF/15	SIL 100
A 45U		A 50IF/15, A 55IF/15	
A 50U	Rund	A 65IF/15	Zaros
A 55U	R 44BU	A 40IF/A, A 50IF/A	ZOS 75
A 65U		A 55IF/A	ZOS 90
A 75U	Daneo (Cristalite Plus)		ZOS 100
A 40/34U	DAN CP 45U	Daneo	
	DAN CP 50U	DAN 34F/7, DAN 34IF/12	Comfort
Daneo	DAN CP 55U	DAN 40F/7, DAN 40IF/12	COM 34
DAN 18U + DAN 34U		DAN 45F/7, DAN 45IF/12	COM 40
DAN 40U		DAN 50F/7, DAN 50IF/12	COM 75
DAN 45U		DAN 55F/7, DAN 55IF/12	COM 90
DAN 50U		DAN 100-50IF	C 75
DAN 55U		DAN 100-55IF	C 90
		DAN 110-50IF	
Vantis		DAN 110-55IF	Rund
V 34U		DAN 50IF/A	R 44B
V 40U		DAN 100-50IF/A	
V 45U		DAN 100-55IF/A	
V 50-42U		DAN 110-50IF/A	
V 50-35U + V 11U		DAN 110-55IF/A	
V 55U			
VX 40U Varix		Vantis	
VX 45U Varix		V 34IF/12, V 40IF/12	
VX 50-42U Varix		V 45IF/12, V 50-42IF/12	
VX 55U Varix		V 50-35IF/12, V 55IF/12	
		VX 40IF/15 Varix	
Silver Star		VX 45IF/15 Varix	
SIL 18U + SIL 34U		VX 50-42IF/15 Varix	
SIL 18/34U		VX 55IF/15 Varix	
SIL 45U			
SIS 50U		Silver Star	
SIL 50U + SIL 9U		SIL 45IF/12, SIS 50IF/12	
SIL 55U		SIL 55IF/12,	
		SIL 50IF/A	
Comfort			
COM 34U		Daneo (Cristalite Plus)	
COM 40U		DAN CP 45F, DAN CP 50F	
		DAN CP 55F	

SCHOCK

DECLARATION OF PERFORMANCE No. 724625-2

1. Unique identification code of the product type:

For product number(s), see list attached.

2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

Plastic kitchen sink(s)

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

Preparation of food, washing of dishes and discharge of domestic wastewater
(PWD)

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

Schock GmbH
Hofbauerstr. 1
D-94209 Regen
DE 146615354
Tel: 0049(9921)6000
Info@schock.de

Cristalite™

5. Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12(2):

Not applicable

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR (305/2011/EU), Annex V:

System 4

7. In case of the declaration of performance concerning a construction product covered by a harmonized standard:

Determination of product type and factory production control by the
manufacturer

SCHOCK

8. Declared performance:

Essential Characteristics	Performance	Harmonized Technical Specification
Cleanability (CA)	Pass	EN 13310:2003
Load Resistance (LR)	NPD	EN 13310:2003
Durability (DA)	Pass	EN 13310:2003

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Severin Bauer, Head of Laboratory

DocuSigned by:
Severin Bauer
1C56073FB32941E...

Regen, 01.02.2022

SCHOCK

Attachment to Declaration of Performance No. 724625-2

Daneo N-100S (DAN CP 45 U)
Daneo N-100 (DAN CP 50U)
Daneo N-100L (DAN CP 55U)
Brooklyn N-100S (BYK N 100S U)
Brooklyn N-100 (BYK N 100 U)
Brooklyn N-100L (BYK N 100L U)
Quadro N-100 (QUA N 100)
Carbon N-100 (CAR N 100U)
Daneo N-100S (DAN CP 45 F)
Daneo N-100 (DAN CP 50 F)
Daneo N-100L (DAN CP 55 F)
Nemo N-100 (NEM N 100)
Primus D-100 (PRI D 100)
Primus D-100L (PRI D 100L)
Primus D-150 (PRI D 150)